

# Glo-Leak UV Leak Test Fluid Art Nr. GL1234

## Safety Data Sheet according to Regulation (EG) No. 453/2010



Date of issue: 01-10-2016

Revision date: 01-10-2016

Version: 2.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Chemical type : Mixture

Trade name : GLO-LEAK UV-FLUORESCENT LEAK TEST FLUID TYPE GL1234

Colour Index/ Chemical name : Mixture

Chemical characterization : Dyestuff in organic solution

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Dyestuff for industrial applications.

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

PRIMALEC (R J Doran & Co Ltd) Green Farm, Nettlestead Green

MAIDSTONE - ME18 5HD, England

T +44 (0)1622 816955 customers@primalec.co.uk

#### 1.4. Emergency telephone number

Emergency number : +44 (0)1622 816955

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Classification according to Directive 67/548/EEC or 1999/45/EC Not classified

Adverse physicochemical, human health and environmental effects No additional information available

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] No labelling applicable

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

Description : Dyestuff in organic solution

Colour Index/ Chemical name : Mixture

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH annex II

### SECTION 4: First aid measures

#### 4.1 Description of First Aid Measures

<b>First-aid measures general:</b>	First Aid, decontamination, treatment of symptoms. In all cases of doubt, or when symptoms persist, seek medical advice.
<b>First-aid measures after inhalation:</b>	When symptoms occur: go into open air and ventilate suspected area. If unconscious, place in the recovery position and seek medical advice.
<b>First-aid measures after skin contact:</b>	Rinse and then wash skin with water and soap. Remove contaminated clothes. Do not remove clothing if it sticks to the skin.

# Glo-Leak UV Leak Test Fluid Art Nr. GL1234

## Safety Data Sheet according to Regulation (EG) No. 453/2010



Date of issue: 01-10-2016

Revision date: 01-10-2016

Version: 2.2

**First-aid measures after eye contact:** Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing.

**First-aid measures after ingestion:** Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms/injuries after inhalation:** No symptoms known up to now.

**Symptoms/injuries after skin contact:** Staining of the skin. There may be mild irritation at the site of contact.

**Symptoms/injuries after eye contact:** Staining of the eyes. There may be irritation.

**Symptoms/injuries after ingestion :** There may be irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media: Water spray. Extinguishing powder. Carbon dioxide (CO<sub>2</sub>). alcohol resistant foam.

### 5.2. Special hazards arising from the substance or mixture

Reactivity : On burning: release of harmful/irritant gases/vapours.

### 5.3. Advice for firefighters

Firefighting instructions: Standard procedure for chemical fires. Cool tanks/drums with water spray/remove them into safety.

Protection during firefighting: Use appropriate respiratory protection.

Other information: Contaminated fire-fighting water must be collected separately.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures: Avoid contact with skin, eyes and clothing. Avoid breathing dust/fume/gas/mist/vapours/spray. When using do not eat, drink or smoke.

#### 6.1.1. For non-emergency personnel

Protective equipment: Wear personal protection equipment. Refer to chapter 8.

Emergency procedures: Ensure adequate ventilation. Wear suitable respiratory equipment in case of insufficient ventilation. Keep unprotected persons from entering.

#### 6.1.2. For emergency responders

Protective equipment: Wear personal protection equipment. Refer to chapter 8.

Emergency procedures: Ensure adequate ventilation. Wear suitable respiratory equipment in case of insufficient ventilation. Keep unprotected persons from entering.

### 6.2. Environmental precautions

# Glo-Leak UV Leak Test Fluid Art Nr. GL1234

## Safety Data Sheet according to Regulation (EG) No. 453/2010



Date of issue: 01-10-2016

Revision date: 01-10-2016

Version: 2.2

Do not empty into drains or the aquatic environment.

### **6.3. Methods and material for containment and cleaning up**

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Wash away remainder with plenty of water.

### **6.4. Reference to other sections**

See also section 8 & 13.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

Precautions for safe handling : Reduce/avoid exposure and/or contact. Keep away from sources of ignition - No smoking.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Do not drink, eat or smoke in the workplace.

### **7.2. Conditions for safe storage, including any incompatibilities**

Storage conditions : Keep away from heat. Protect from freezing. Keep out of the reach of children.

Prohibitions on mixed storage : Keep away from food, drink and animal feedingstuffs.

Storage area : Ensure adequate ventilation of the storage area. Keep container tightly closed. Store in a cool dry place.

### **7.3. Specific end use(s)**

No additional information available

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

No additional information available

### **8.2. Exposure controls**

**Appropriate engineering controls:** Ventilate area. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

**Personal protective equipment:** Gloves. Protective clothing. Safety glasses.



**Hand protection:** Wear suitable gloves resistant to chemical penetration (to European standard EN 374 or equivalent), e.g. PVC or nitrile rubber. Since the product consists of several substances, it is not possible to estimate the durability of the glove material beforehand and it therefore needs to be tested before use

**Eye protection:** Tightly sealed safety glasses.

**Skin and body protection** Wear suitable protective clothing

**Respiratory protection:** With correct and proper use, and under normal conditions, breathing protection is not required.

**Environmental exposure controls:** Avoid release to the environment.

**Other information:** Keep away from food, drink and animal feedingstuffs.

---

---

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

Physical state	: Liquid
Appearance	: liquid.
Colour	: dark yellow.
Odour	: Perceptible odour.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 263 °C
Self ignition temperature	: Product is not selfigniting.
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Water: insoluble
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product does not present an explosion hazard.
Oxidising properties	: No data available
Explosive limits	: No data available

### **9.2. Other information**

No additional information available

---

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

On burning: release of harmful/irritant gases/vapours.

### **10.2. Chemical stability**

The product is stable at normal handling- and storage conditions.

### **10.3. Possibility of hazardous reactions**

No additional information available

### **10.4. Conditions to avoid**

high temperatures.

### **10.5. Incompatible materials**

Oxidizing and reducing agents may destroy the dye.

### **10.6. Hazardous decomposition products**

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, nitrogen oxides (NOx).

# Glo-Leak UV Leak Test Fluid Art Nr. GL1234

## Safety Data Sheet according to Regulation (EG) No. 453/2010



Date of issue: 01-10-2016

Revision date: 01-10-2016

Version: 2.2

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

GLO-LEAK UV-FLUORESCENT LEAK TEST FLUID TYPE GL1234	
LD50 Oral Rat	> 2000 mg/kg

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
Specific target organ toxicity (single exposure) : Not classified  
Specific target organ toxicity (repeated exposure) : Not classified  
Aspiration hazard : Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology – general: Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

Ecology – water: Insoluble in water

#### 12.2 Persistence and degradability

GLO-LEAK UV-FLUORESCENT LEAK TEST FLUID TYPE GL1234	
Persistence and degradability	No data available

**12.3 Bioaccumulative potential** No additional information available

#### 12.4 Mobility in soil

GLO-LEAK UV-FLUORESCENT LEAK TEST FLUID TYPE GL1234	
Ecology - soil	Readily absorbed into soil.

#### 12.5 Results of PBT assessment

GLO-LEAK UV-FLUORESCENT LEAK TEST FLUID TYPE GL1234	
Results of PBT assessment	No data available

#### 12.6. Other adverse effects

Other information: Negligible ecotoxicity.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste) : Observe regulations when disposing.

Sewage disposal recommendations: Substance must not be discharged into the sewer.

Waste disposal recommendations : Consider recycling. Remove to an authorized waste incinerator.

### SECTION 14: Transport information

In accordance with ADR / RID / ADN / IMDG / ICAO / IATA 14.1. UN number

# Glo-Leak UV Leak Test Fluid Art Nr. GL1234

## Safety Data Sheet according to Regulation (EG) No. 453/2010



Date of issue: 01-10-2016

Revision date: 01-10-2016

Version: 2.2

No dangerous good in sense of transport regulations.

### **14.2. UN proper shipping name**

Not applicable

### **14.3. Transport hazard class(es)**

Not applicable

### **14.4. Packing group**

Not applicable

### **14.5. Environmental hazards**

Other information No supplementary information available.

### **14.6. Special precautions for user**

14.6.1. Overland transport No additional information available

14.6.2. Transport by Sea No additional information available

14.6.3. Air transport No additional information available

### **14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

## **SECTION 15: Regulatory information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

15.1.2. National regulations

Water hazard class (WGK) : 1 - slightly hazardous to water

WGK remark : Estimated from the components.

### **15.2. Chemical safety assessment**

No additional information available

## **SECTION 16: Other information**

Indication of changes:

First aid measures. Firefighting measures. Accidental release measures. Handling and storage. Exposure controls/personal protection. Physical and chemical properties. Stability and reactivity. Ecological information. Disposal considerations.

**EU Directives: Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC**

**Version 2.1 amended under Regulation (EC) No. 453/2010**

Data sources : This information is based on the present data (producers, chemical safety cards, <http://echa.europa.eu/>, <http://ecb.jrc.ec.europa.eu/esis/>, ...).

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.