



Scheda di sicurezza  
Liquido lavaggio impianto  
ELKE S.r.l.  
VIA XXV APRILE 202 10042 NICHELINO (TO) ITALIA  
REA di TO: 987683 P.Iva 08613670010  
Tel. n.. +39 011 9622412

## Safety Data Sheet dated 24/2/2016, version 1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Mixture identification:

Trade name: A/C FLUSH SOLVENT NOT FLAMMABLE 5L  
11.036

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

product for air conditioning systems

product for cleaning and washing

Uses advised against:

do not use on humans and animals

#### 1.3. Details of the supplier of the safety data sheet

Company:

ELKE S.r.l. Via XXV Aprile 202 10042 Nichelino (To) Italia.

Tel. n. +39 011 9622412

Competent person responsible for the safety data sheet:

Domenico Amosso info@elke-ac.com

#### 1.4. Emergency telephone number

Centro Antiveleni Ospedale Niguarda Milano +39 02.66101029

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

⚠ Warning, Eye Irrit. 2, Causes serious eye irritation.

⚠ Warning, Skin Sens. 1, May cause an allergic skin reaction.

⚠ Danger, Asp. Tox. 1, May be fatal if swallowed and enters airways.

Adverse physicochemical, human health and environmental effects:

No other hazards

#### 2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

Precautionary statements:

P264 Wash with water Thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P331 Do NOT induce vomiting.

A/C FLUSH SOLVENT NOT FLAMMABLE 5L



Scheda di sicurezza  
Liquido lavaggio impianto  
ELKE S.r.l.  
VIA XXV APRILE 202 10042 NICHELINO (TO) ITALIA  
REA di TO: 987683 P.Iva 08613670010  
Tel. n.. +39 011 9622412

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Contents:

Idrocarburi, C12-C15, n-alcani, isoalcani, ciclici, < 2% aromatici

dipentene; limonene;

N-DECANO

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards













### SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
67 %	Idrocarburi, C12-C15, n-alcani, isoalcani, ciclici, < 2% aromatici	EC: 920-107-4 REACH No.: 01-2119453414-43	 3.10/1 Asp. Tox. 1 H304
18 %	N-DECANO	CAS: 124-18-5 EC: 204-686-4 REACH No.: 01-2119474199-26	  2.6/3 Flam. Liq. 3 H226 3.10/1 Asp. Tox. 1 H304
10.9 %	propan-2-ol; isopropyl alcohol; isopropanol	Index number: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 REACH No.: 01-2119457558-25	   2.6/2 Flam. Liq. 2 H225 3.3/2 Eye Irrit. 2 H319 3.8/3 STOT SE 3 H336
2.5 %	dipentene; limonene;	Index number: 601-029-00-7 CAS: 5989-27-5 EC: 227-813-5 REACH No.: 01-2119529223-47	     2.6/3 Flam. Liq. 3 H226 3.2/2 Skin Irrit. 2 H315 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317 4.1/A1 Aquatic Acute 1 H400 4.1/C1 Aquatic Chronic 1 H410
1.63 %	ethanol; ethyl alcohol	Index number: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6	 2.6/2 Flam. Liq. 2 H225

A/C FLUSH SOLVENT NOT FLAMMABLE 5L

---

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

#### In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

#### In case of Ingestion:

Do NOT induce vomiting.

#### In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### 4.2. Most important symptoms and effects, both acute and delayed

Cap11

### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.



Scheda di sicurezza  
Liquido lavaggio impianto  
ELKE S.r.l.  
VIA XXV APRILE 202 10042 NICHELINO (TO) ITALIA  
REA di TO: 987683 P.Iva 08613670010  
Tel. n.. +39 011 9622412

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up  
Wash with plenty of water.
- 6.4. Reference to other sections  
See also section 8 and 13

---

## SECTION 7: Handling and storage

- 7.1. Precautions for safe handling  
Avoid contact with skin and eyes, inhalation of vapours and mists.  
Don't use empty container before they have been cleaned.  
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.  
See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities  
store in a cool, well ventilated place, away from heat, flames, sparks or other sources of ignition  
keep only in the original container away from sunlight neighborhoods  
avoid contact with skin and eyes, inhalation of vapours/mists/dusts.  
do not use empty containers before they are cleaned.  
contaminated clothing must be replaced before entering the dining areas.  
at work do not eat or drink.  
do not smoke  
Keep away from food, drink and feed.  
Incompatible materials:  
None in particular.  
Instructions as regards storage premises:  
Adequately ventilated premises.
- 7.3. Specific end use(s)  
produced for air conditioning and for cleaning and washing

---

## SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters  
N-DECANO - CAS: 124-18-5  
TLV TWA - 1200 mg/m<sup>3</sup>  
propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0  
ACGIH - LTE(8h): 200 ppm - STE: 400 ppm - Notes: A4, BEI - Eye and URT irr, CNS impair  
ethanol; ethyl alcohol - CAS: 64-17-5  
ACGIH - STE: 1000 ppm - Notes: A3 - URT irr
- DNEL Exposure Limit Values  
dipentene; limonene; - CAS: 5989-27-5  
Worker Professional: 33.3 mg/kg - Consumer: 8.33 mg/kg - Exposure: Human  
Inhalation - Frequency: Long Term, systemic effects  
Consumer: 4.76 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects
- PNEC Exposure Limit Values  
N-DECANO - CAS: 124-18-5  
Target: Fresh Water - Value: 1.2 mg/l  
Target: Marine water - Value: 1.2 mg/l  
Target: Fresh Water - Value: 0.33 mg/kg  
Target: Marine water sediments - Value: 0.33 mg/kg  
Target: Soil (agricultural) - Value: 0.13 mg/kg

**A/C FLUSH SOLVENT NOT FLAMMABLE 5L**



Scheda di sicurezza  
Liquido lavaggio impianto  
ELKE S.r.l.  
VIA XXV APRILE 202 10042 NICHELINO (TO) ITALIA  
REA di TO: 987683 P.Iva 08613670010  
Tel. n.. +39 011 9622412

dipentene; limonene; - CAS: 5989-27-5  
Target: Soil (agricultural) - Value: 0.262 mg/kg  
Target: Fresh Water - Value: 0.0054 mg/l  
Target: Marine water - Value: 0.00054 mg/l  
Target: Freshwater sediments - Value: 1.32 mg/kg  
Target: Marine water sediments - Value: 0.13 mg/kg

## 8.2. Exposure controls

Eye protection:

Basket eye glasses.

Protection for skin:

Safety shoes.

Chemical protection clothing.

Protection for hands:

PVC (polyvinyl chloride).

Respiratory protection:

Mask with filter "A" , brown colour

Thermal Hazards:

Do not expose to temperatures exceeding 50° c.

Environmental exposure controls:

emissions from production processes, including those from ventilation equipment should be inspected for the purposes of enforcement of environmental protection

Appropriate engineering controls:

None

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid	--	--
Odour:	characteristic	--	--
Odour threshold:	N.A.	--	--
pH:	N.A.	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	>220°C	--	--
Flash point:	> 55 ° C	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	>2	--	--
Relative density:	0.8 Kg/l	--	--
Solubility in water:	insoluble	--	--
Solubility in oil:	soluble	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--

A/C FLUSH SOLVENT NOT FLAMMABLE 5L



Scheda di sicurezza  
Liquido lavaggio impianto  
ELKE S.r.l.  
VIA XXV APRILE 202 10042 NICHELINO (TO) ITALIA  
REA di TO: 987683 P.Iva 08613670010  
Tel. n.. +39 011 9622412

Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

## 9.2. Other information

Properties	Value	Method:	Notes:
kinematic viscosity:	kv <= 1,4 mm <sup>2</sup> /s (a 40°C)	--	--
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions

### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

None

### 10.4. Conditions to avoid

keep away from heat, sources of ignition

### 10.5. Incompatible materials

oxidizing agents

### 10.6. Hazardous decomposition products

the product is flammable, following combustion can lead to the formation of dangerous decomposition products

by thermal decomposition can rid COx

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

Idrocarburi, C12-C15, n-alcani, isoalcani, ciclici, < 2% aromatici

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 4951 mg/m<sup>3</sup> - Duration: 4h

N-DECANO - CAS: 124-18-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5840 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

dipentene; limonene; - CAS: 5989-27-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 4400 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

**A/C FLUSH SOLVENT NOT FLAMMABLE 5L**



Scheda di sicurezza  
Liquido lavaggio impianto  
ELKE S.r.l.  
VIA XXV APRILE 202 10042 NICHELINO (TO) ITALIA  
REA di TO: 987683 P.Iva 08613670010  
Tel. n.. +39 011 9622412

#### LAVAGGIO IMPIANTI NON INFIAMM. -

The product may have harmful effects on human health. Repeated exposure may cause skin dryness or cracking. May be fatal if swallowed and enters Airways.

ethanol; ethyl alcohol - CAS: 64-17-5

LD50 (RABBIT) ORAL: 6300 MG/KG

LD50 (RAT) ORAL SINGLE DOSE: 7060 MG/KG

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

---

## SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Idrocarburi, C12-C15, n-alcani, isoalcani, ciclici, < 2% aromatici

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 24

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 24

Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 72

N-DECANO - CAS: 124-18-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 10-100 mg/l - Duration h: 96

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72

Endpoint: EC50 - Species: Fish > 100 mg/l - Duration h: 48

dipentene; limonene; - CAS: 5989-27-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae = 150 mg/l - Duration h: 72

Endpoint: EC50 - Species: Daphnia = 0.85 mg/l - Duration h: 24

Endpoint: LC50 - Species: Fish = 0.72 mg/l - Duration h: 96

### 12.2. Persistence and degradability

None

N-DECANO - CAS: 124-18-5

Biodegradability: Persistent and Biodegradable - Test: 1 - Duration: 1 - %: 114.3 -

Notes: N.A.

dipentene; limonene; - CAS: 5989-27-5

Biodegradability: Not persistent and Biodegradable - Test: N.A. - Duration: N.A. - %:

N.A. - Notes: N.A.

### 12.3. Bioaccumulative potential

dipentene; limonene; - CAS: 5989-27-5

A/C FLUSH SOLVENT NOT FLAMMABLE 5L





Scheda di sicurezza  
Liquido lavaggio impianto  
ELKE S.r.l.  
VIA XXV APRILE 202 10042 NICHELINO (TO) ITALIA  
REA di TO: 987683 P.Iva 08613670010  
Tel. n.. +39 011 9622412

Bioaccumulation: Bioaccumulative - Test: N.A. N.A. - Duration: N.A. - Notes: N.A.

12.4. Mobility in soil

N-DECANO - CAS: 124-18-5

Mobility in soil: Mobile - Test: N.A. N.A. - Duration: N.A. - Notes: N.A.  
dipentene; limonene; - CAS: 5989-27-5

Mobility in soil: Mobile - Test: N.A. N.A. - Duration: N.A. - Notes: N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

---

### SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

---

### SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

ADR-Class: Not dangerous

IATA-Class: Not dangerous

IMDG-Class: Not dangerous

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

Marine pollutant: No

N.A.

14.6. Special precautions for user

N.A.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No

---

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions :





Scheda di sicurezza  
Liquido lavaggio impianto  
ELKE S.r.l.  
VIA XXV APRILE 202 10042 NICHELINO (TO) ITALIA  
REA di TO: 987683 P.Iva 08613670010  
Tel. n.. +39 011 9622412

Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments.

Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

N.A.

15.2. Chemical safety assessment

No

---

## SECTION 16: Other information

Text of phrases referred to under heading 3:

H304 May be fatal if swallowed and enters airways.

H226 Flammable liquid and vapour.

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,  
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van  
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.



Scheda di sicurezza  
Liquido lavaggio impianto  
ELKE S.r.l.  
VIA XXV APRILE 202 10042 NICHELINO (TO) ITALIA  
REA di TO: 987683 P.Iva 08613670010  
Tel. n.. +39 011 9622412

LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.